GROUP ELEVEN
RESOURCES CORP.

Medium Version
- Ballywire – All Sections
- Ballywire - Germanium

New High-Grade Zinc-Silver-Copper Discovery in Ireland

October 2026

TSX.V: ZNG | OTCQB: GRLVF | FRA: 3GE

Important Notice

This Presentation is given by Group Eleven Resources Corp. ("the Company"), incorporation number BC1098004, registered office at Suite 2200, 885 West Georgia Street, Vancouver, B.C., V6C 3E8, Canada and is made subject to the terms outlined below. No securities regulatory authority has expressed an opinion about the information contained in this Presentation and it is an offence to claim otherwise.

This document and its contents may not be reproduced, redistributed or passed on, directly or indirectly, to any other person or disclosed or published, in whole or in part, for any purpose. This document is being provided for information purposes only and thus viewing, downloading, reproducing, copying or distributing this Presentation may be restricted by law in certain jurisdictions.

Except for statements of historical fact relating to the Company, certain statements in this Presentation may constitute forward-looking information, future oriented financial information, or financial outlooks (collectively, "forward-looking information") within the meaning of Canadian securities laws. Forward-looking information may relate to this Presentation, Company's future outlook and anticipated events or results and, in some cases, can be identified by terminology such as "may", "will", "expected", "estimate", "potential" or "possible" or other similar expressions concerning matters that are not historical facts and include, but are not limited in any manner to, those with respect to commodity prices, mineral resources, mineral reserves, realization of mineral reserves, existence or realization of mineral resource estimates, the timing and amount of future production, the timing of construction of the proposed mine and process facilities, capital and operating expenditures, the timing of receipt of permits, rights and authorizations, and any and all other timing, development, operational, financial, economic, legal, regulatory and political factors that may influence future events or conditions, as such matters may be applicable. In particular, this Presentation contains forward-looking statements pertaining to proposed expenditures for exploration work, and general and administrative expenses.

Such forward-looking statements are based on a number of material factors and assumptions, and include the ultimate determination of mineral reserves, if any, the availability and final receipt of required approvals, licenses and permits, sufficient working capital to develop and operate any proposed mine, access to adequate services and supplies, economic conditions, commodity prices, foreign currency exchange rates, interest rates, access to capital and debt markets and associated costs of funds, availability of a qualified work force, and the ultimate ability to mine, process and sell mineral products on economically favourable terms. While the Company considers these assumptions to be reasonable based on information currently available to it, they may prove to be incorrect. Actual results may vary from such forward-looking information for a variety of reasons, including but not limited to risks and uncertainties disclosed in this Presentation. The Company has no specific policies or procedures for updating forward-looking information. Forward-looking statements are based upon management's beliefs, estimates and opinions on the date the statements are made and, other than as required by law, the Company does not intend, and undertakes no obligation to update any forward looking information to reflect, among other things, new information or future events. Potential investors are cautioned against placing undue reliance on forward-looking statements.

This Presentation does not constitute investment advice or a recommendation regarding the securities of the Company or an offer or invitation to subscribe for securities of the Company or its affiliates.

Scientific and technical information in this Presentation, excluding information related to other companies obtained from publicly available sources, has been approved by Prof Garth Earls, Eur Geol, PGeo, FSEG of IGS (International Geoscience Services) Ltd, who is a qualified person for the purposes of National Instrument 43 101 and who is independent of the Company. Scientific and technical information is derived from the technical reports entitled "NI 43-101 Independent Report on a Base Metal Exploration Project at Ballinalack, County Westmeath, Ireland" with an effective date of January 11, 2019, "NI 43-101 Independent Report on the Zinc-Lead Exploration Project at Stonepark, County Limerick, Ireland" with an effective date of April 26, 2018, and "NI 43-101 Independent Report on a Base Metal Exploration Project at Silvermines, County Tipperary, Ireland" with an effective date of February 28, 2017, each of which was prepared for the Company by EurGeol Dr. John G. Kelly, PGeo, MIMMM, MIQ and EurGeol Paul Gordon, PGeo, MSc of SLR Consulting (Ireland) Ltd. in accordance with National Instrument 43-101. Complete copies of the technical reports are available for review, in colour, on the System for Electronic Document Analysis and Retrieval (SEDAR+) located at the following website: www.sedarplus.ca.

VISION

Discover Ireland's Next Big Zinc Mine In Order To Generate Exponential Shareholder Returns And Local Economic Benefits

GROUP ELEVEN - SYNOPSIS

Drilling the most significant mineral discovery in Ireland in over a decade.

Ballywire discovery announced Sept 2022, demonstrating high grades of zinc, lead, silver, copper, germanium and locally, antimony.

Investment Highlights

New High-Grade Zinc-Lead-Silver (+/- Cu, Ge) Discovery at the Ballywire Prospect, Ireland

Corporate Overview	
Positive Outlook for CRMs	▶ Critical Metals (Zn, Cu, Ag, Ge) Will be Increasingly Important for the Global Energy Transition ▶ Increasing Infrastructure Spending in U.S. and China is Poised to Drive Zinc Demand Growth
Ireland Has Track Record	▶ Ireland - Six Discoveries Brought Into Production Over The Last 60 Years, Reflecting High Grades, Excellent Infrastructure and Proximity to Smelters ▶ Ireland Ranks Very Well on Fraser Institutes' Annual Mining Survey
Experienced Team	▶ Highly Experienced In Irish and Global Zinc Exploration, Capital Markets, Legal and Accounting
Strong Shareholders	▶ Michael Gentile – Owns 13.6% (Basic) and is Director on ZNG Board ▶ Glencore – Owns 12.8% (Basic) and has Director on ZNG Board
Key Assets	
Ballywire Discovery	▶ New Discovery Announced Sept-2022 Yielding High-Grade Massive Sulphides Over Significant Widths and Open For 6km by 2km ▶ Located Only 20km from Glencore's Pallas Green Zinc Deposit (45mt of 8.4% Zn+Pb, Inferred)*
Carrickittle West	▶ 'Pallas Green Lookalike' Target, 5-10km from Glencore's Pallas Green Zinc Deposit*
Valuation Anchors	▶ Stonepark MRE – 5.1mt of 11.3% Zn+Pb (Inferred; NI43-101; owns 77.64% interest)^ ▶ Ballinalack MRE – 5.4mt of 8.7% Zn+Pb (Inferred; NI43-101; owns 60% interest)$^{+}$
Upcoming Catalysts	▶ Ongoing Drilling at Ballywire Discovery (4-Rigs, >50,000m by early '28, Fully Funded)

Footnotes: * Pallas Green MRE is owned by Glencore (see Glencore's Resources and Reserves Report dated December 31, 2025); ^ Stonepark MRE: 'NI 43-101 Independent Report on the Zinc-Lead Exploration Project at Stonepark, County Limerick, Ireland', by Gordon, Kelly and van Lente, dated April 26, 2018; $^{+}$ Ballinalack MRE: 'NI 43-101 Independent Report on a Base Metal Exploration Project at Ballinalack, Co. Westmeath, Ireland" by Gordon, Kelly and van Lente, date January 11, 2019;

Why Zinc?

Global Refined Zinc Inventories at Lows, Zinc Price Buoyant on Mine Supply Constraints

- **Green Energy Revolution**
  - Zinc-Batteries for Grid Power Storage
  - Offshore Wind
  - Solar Farms
- **Zinc in Fertilizers**
  - China: World Food Program
- **Conventional Uses**
  - Galvanizing Steel, Die-Casting, Chemicals, Agri. and Pharma.
- **Mine supply**
  - Recently Falling and Unlikely to Meet Projections
- **Trade War**
  - US and China – to Accelerate Infrastructure Spending?



Source: FactSet

Source: Trading Economics

Team – Exploration, Capital Markets and Legal Experience

Board of Directors

Dan MacInnis | Chairman (non-executive)
- Geologist / Executive
- Retired CEO and Director of MAG Silver
- >40 yrs experience, involved with 7 discoveries
- Spent 5 yrs in Ireland in late 70s with Noranda

Bart Jaworski | Chief Executive Officer
- Geologist / ex Mining Equity Analyst
- >25 yrs experience (co-founder, Group Eleven)
- Including 12 yrs with Raymond James and Davy
- Regional identification of Coffee Creek anomaly

Brendan Cahill | Director (non-executive)
- Law and corporate finance expertise
- Director (CEO: 2012-2022) of Excellon Res. Inc.
- Previously with Pelangio Group of Companies

Barry O'Shea | Director (non-executive)
- Chartered Professional Accountant
- CEO of Highland Copper (TSX-V: HI)
- CFO of Fiore Gold ('18 to '21)
- VP Bus. Dev. of New Gold ('10 to '17)

Franz Bollmann | Director (Glencore appointee)
- Finance Manager at Glencore Zinc
- Before joining Glencore in 2014, worked in sales and trading at Raymond James in the US
- Holds Degree in Finance and Minor in Mathematics

Michael Gentile | Director (non-executive)
- Portfolio Manager with >20 yrs experience
- Leading strategic investor in junior mining sector
- Large stakes in >20 small-cap mining companies
- Co-Founder of Bastian Asset Management (2022)
- Formula Growth Limited (from 2002-2018)

Management

Jasmine Lau | Chief Financial Officer
- Chartered Professional Accountant with over 16 years' experience in the resource sector
- Also CFO of Minaurum Gold Inc, Forte Minerals Corp., and Cascadia Minerals Ltd.

David Furlong | Chief Operating Officer
- Geologist with over 25 yrs industry experience
- Co-Founder of Group Eleven
- Previously, GM at Rathdowney Resources

Dr Mark Holdstock | Project Manager
- Geologist with over 30 yrs experience
- Led team which discovered >20Mt 'SWEX extension' at Navan mine in Ireland
- Previously, MD at Aurum Exploration Services

Capital Structure Update

Share Structure	Owners	Exercise Price	Expiry Date	Shares (mln)
Basic				**284.1**
Options	Directors	$0.10-0.19	Sep-27 to Nov-29	2.0
	Officers	$0.10-0.19	Sep-27 to Nov-29	2.6
	Employee/Cons	$0.10-0.22	Sep-27 to Feb-30	1.5
Warrants	Investors	$0.28	28-Feb-2027	5.6
F. Diluted				**295.8**
DSUs	Indep. Directors	n/a	n/a	2.6

Note: above data as of Sep-11-2026

Other Items	
Cash (incl. C$12.0m Bought Deal; as at 30Jun26)	C$16.2 mln
Market Capitalization (as at Sep-24-2026 – C$0.79/sh)	C$224.1 mln
Daily Avg. Trading Volume (TSXV+ATS+OTCQB, Last 12 Months)	881,441 shares
52-wk Trading Range (TSX-V)	C$0.31-C$1.30

Note: above data as of Sep-24-2026, unless otherwise noted



Institutions (as at Mar-2026): Timelo, JFT Strategies, Ixios, Others

Why Ireland?

Unrivalled Zinc Potential - Ranked No. 1 in the World for Zinc Found Per Square Kilometre

Greenest Zinc in the World?

- Clean Metallurgy – Coarse, Clean Ores
- Infrastructure Rich – Roads, Rail, Power, Tidewater
- Proximity to European Smelters
- Wind Power – Major Offshore Ramp-Up by 2030

Mining History and Investment

- 6 Mines Permitted Over Last 60 Years
- Majors – Boliden, Glencore, South32

Fraser Institute Mining Survey (2025) - Ireland

- No. 3 for 'Policy Perception Index' Europe
- No. 11 for 'Policy Perception Index' World
- No. 5 for 'Investment Attractiveness Index' Europe
- No. 31 for 'Investment Attractiveness Index' World

- Group Eleven asset
- New Ballywire Discovery
- Zinc deposit
- Zinc – small deposit or major occurrence



Source: modified from P. Tyler | Note: Mine ownerships as at time of commercial mining; 'shut' means commercial mining ended; 're-opening' refers to Shanoon Resources' plans to re-open mine; Energy Critical Element Characterisation of Irish Mineral Deposits by Blaney et. al. (2022)

Ballywire – At Intersection of Regional Mineralized Trends

Dominant License Position in Most Metal-Endowed Zinc Camp in Ireland (outside of Navan)



Footnotes:

(1) Pallas Green MRE: 45.4 mt of 7.2% Zn + 1.2% Pb, Inferred (Glencore, Dec-31-2025)

(2) Stonepark MRE: 5.1 mt of 8.7% Zn and 2.6% Pb, Inferred (Apr-26-2018)

(3) Gortdrum historic estimate: 3.8 mt of 1.2% Cu and 25 g/t Ag, mined out (Steed, 1986)

(4) Oola: Cu-Ag mining area, 1750s-1850s (MD&A, Dec-31- 2017)

(5) Carrickittle West: Drilled Major Fault – Potentially Significant Feeder (Jun-16-2022)

(6) Carrickittle: Discovered high-grade zinc, incl. 10.3m of 19.6% Zn+Pb (Jul-06-2020)

(7) Ballywire Discovery: 52.3m of 10.3% Zn+Pb, 330 g/t Ag and 0.40% Cu (Feb-25-2026)

(8) Denison: Historic estimate of 5.4mt of 0.9% Cu and 41 g/t Ag (Westland, 1988)

(9) Tullacondra: Historic estimate: 3.6mt of 0.7% Cu and 28 g/t Ag, incl. 0.6mt of 150 g/t Ag and 0.7% Cu (Munster Base Metals, 1973)

Mineralization and resource estimates relating to nearby properties are not necessarily indicative of the mineralization on the Company's assets.

Ballywire – Plan View (Aug-2026)



Ballywire – Plan View (Aug-2026)



Ballywire – Cross-Section



LEGEND

- Drill Hole (Published Recently)
- Drilling in Progress
- Drill Holes (Previous)
- Massive Sulphide (Zn-Pb-Ag) Zone
- Other High-Grade Zone
- Lower Grade Zone
- Cu-Ag Mineralization
- % Zn+Pb (Cu or Sb if noted)
- g/t Ag
- SWL Supra (above) Waulsortian
- WL Waulsortian Limestone
- BLN Ballynash Limestone
- ABL Argillaceous Bioclastic Lm.
- LLS Lower Limestone Shales
- ORS Old Red Sandstone
- Stratigraphic Contact
- Fault

0 100 200 300
metres

Ballywire – Plan View (Aug-2026)



Ballywire Discovery – Cross-Section (Showing Massive Sulphides)



Ballywire – Plan View (Aug-2026)



Ballywire – Cross-Section



25-3552-31
19.9m of 356 g/t and 1.46% Cu, incl.
- **12.0m of 560 g/t and 2.30% Cu**, incl.
  - **6.4m of 838 g/t and 3.72% Cu**

Parallel Zn-Pb-Ag Zone?
20.3m of 2.6%, 6 g/t, incl.
- **7.3m of 5.2%, 10 g/t**, incl.
  - **3.8m of 7.3%, 14 g/t**, incl.
    - 1.0m of **11.8%, 19 g/t**

17.4m of 35 g/t, 0.31% Cu, incl.
- **5.1m of 91 g/t, 0.22% Cu**, incl.
  - 0.4m of **917 g/t, 1.97% Cu, 0.17% Sb** and
- **7.7m of 17 g/t, 0.55% Cu**, incl.
  - **5.6m of 21 g/t, 0.71% Cu**, 0.05% Sb incl.
    - **2.8m of 26 g/t, 1.03% Cu**, 0.06% Sb incl.
      - 0.3m of **38 g/t, 5.51% Cu**

11.3m of 8 g/t, **0.26% Cu**, incl.
- **4.7m of 14 g/t, 0.46% Cu**, incl.
  - **2.8m of 19 g/t, 0.67% Cu**, incl.
    - 1.9m of **24 g/t, 0.83% Cu**

17.9m of 10 g/t, 0.37% Cu, 0.05% Sb incl.
- 9.5m of 9 g/t, **0.49% Cu**, 0.06% Sb, incl.
  - **4.7m of 13 g/t, 0.71% Cu, 0.09% Sb**, incl.
    - **2.6m of 19 g/t, 1.07% Cu, 0.14% Sb**, incl.
      - 0.2m (19cm) of **72 g/t, 4.36% Cu, 0.47% Sb** and
- **2.5m of 24 g/t, 0.28% Cu** and 0.04% Sb

LEGEND

Holes (Previous)	% Zn+Pb (or Cu, Sb if noted)
Holes (New)	g/t Ag
Zn-Pb-Ag (m. sulphide)	WL Waulsortian Limestone
Zn-Pb-Ag (high-grade)	BLN Ballynash Limestone
Zn-Pb-Ag (lower grade)	ABL Argillaceous Bioclastic Lm.
Cu-Ag zone	LLS Lower Limestone Shale
Cu-Ag (Sb) zone	ORS Old Red Sandstone
	Interpreted Faults

Ballywire – Plan View (Aug-2026)



Ballywire Discovery – Cross-Section (Showing Massive Sulphides)



Ballywire – Plan View (Aug-2026)



Ballywire Discovery – Cross-Section (Showing Massive Sulphides)



Ballywire – Plan View (Aug-2026)



Ballywire – Cross-Section



Ballywire – Plan View (Aug-2026)



Ballywire – Cross-Section



62.5m of 5.6%, 25 g/t, incl.
- 47.6m of 7.1%, 32 g/t, incl.
  - **11.8m of 13.4%, 45 g/t**, incl.
    - **4.6m of 22.4%, 74 g/t** and
  - **14.6m of 8.4%, 44 g/t**, incl.
    - **4.8m of 17.0%, 82 g/t**

58.0m of 3.1%, 25 g/t, incl.
- 32.7m of 4.4%, 37 g/t, incl.
  - **11.2m of 8.9%, 83 g/t**, incl.
    - 0.7m of **38.7%, 160 g/t** and
    - 0.2m of **27.1%, 397 g/t, 0.52% Cu**

14.9m of 1.7%, 53 g/t, incl.
- 2.8m of **143 g/t**, 0.31% Cu, incl
  - 0.9m of **371 g/t, 0.82% Cu** and

3.7m of 37 g/t, 0.09% Cu

6.6m of 83 g/t, 1.60% Cu, 0.19% Sb, incl.
- **3.4m of 140 g/t, 2.90% Cu, 0.34% Sb**, incl.
  - **1.0m of 279 g/t, 5.62% Cu, 0.78% Sb** and

3.7m of 15 g/t, 0.16% Cu and
4.7m of 14 g/t, 0.12% Cu and
2.8m of 110 g/t, 5.09% Cu, 0.44% Sb, incl.
- **0.6m of 506 g/t, 23.60% Cu, 2.04% Sb**

45.0m of 6.0%, 28 g/t incl.
- **35.4m of 7.3%, 34 g/t** incl.
  - 3.8m of **9.5%, 34 g/t** and
  - 3.1m of **7.6%, 41 g/t** and
  - **6.9m of 18.3%, 86 g/t** incl.
    - 2.4m of **40.9%, 185 g/t**

26-3552-60
2.8m of 26 g/t, 0.14% Cu and
29.7m of 17 g/t, 0.43% Cu, incl.
- 2.8m of **38 g/t, 0.91% Cu** and
- **6.4m of 41 g/t, 0.88% Cu**, incl.
  - **2.7m of 77 g/t, 1.67% Cu**

26-3552-60
4.8m of **54 g/t**, 0.18% Cu incl.
- 1.0m of **114 g/t, 0.35% Cu, 0.12% Sb** and

1.8m of **51 g/t**, 0.09% Cu

26-3552-60
2.3m of **126 g/t, 1.01% Cu**, 0.12% Sb incl.
- 0.2m of **1355 g/t, 11.00% Cu, 1.30% Sb**

15.4m of **39 g/t, 0.82% Cu**, incl.
- **7.5m of 77 g/t, 1.61% Cu, 0.17% Sb** incl.
  - 0.7m of **643 g/t, 13.95% Cu, 1.42% Sb**

Ballywire – Plan View (Aug-2026)




NNW (H)
SSE (H')
G11-468-15
G11-468-14
85.1m of 1.4%, 8 g/t incl.
▪ 4.9m of 11.8%, 84 g/t, incl.
▫ 2.3m of 16.3%, 128 g/t
LEGEND
Drill holes
Zn-Pb-Ag zone (higher-grade)
Zn-Pb-Ag zone (lower grade)
Cu-Ag mineralization
% Zn+Pb, unless otherwise noted
g/t Ag
WL Waulsortian Limestone
BLN Ballynash Limestone
ABL Argillaceous Bioclastic Lm.
Fault
WL
OPEN
BLN
ABL
306m
336m
52.4m of 1.5%, 15 g/t, incl.
▪ 5.9m of 4.9%, 23 g/t incl.
▫ 3.0m of 8.0%, 38 g/t and
▫ 0.8m of 3.4%, 272 g/t and 0.92% Cu
OPEN
0
100
metres

Ballywire – Plan View (Aug-2026)



Ballywire Discovery – Cross-Section (Showing Massive Sulphides)



Ballywire – Plan View (Aug-2026)



Ballywire Discovery – Detailed Cross-Section



Ballywire Discovery – Cross-Section (510m Down-Dip Extent)



Ballywire – Plan View (Aug-2026)



Ballywire – Cross-Section



UPCOMING DRILLING

Ballywire – Plan View (Aug-2026)



Ballywire – Plan View – Ongoing Drilling (Aug-2026)



6KM PROSPECTIVE TREND

Ballywire – Regional Gravity Shows Prospective Trend 6km x 2km



Ballywire – Regional Gravity Shows Prospective Trend 6km x 2km



Ballywire Cross-Section – Gravity-High Anomaly 'A'



BALLYWIRE – GERMANIUM

Ballywire – Significantly Elevated Germanium

Germanium Trades at approx. US$200/oz (outside of China) – about 3.0x the price of Silver (US$65/oz; as of Sep 17, 2026)

Background Information on Germanium (Ge)

- On European Union List of **Critical Raw Materials** since 2010
- **Critical** element list: **US, China, Australia and Canada**
- American Physical Society categorizes Ge as one of the '**Energy Critical Elements**'
- Primary use of germanium: **fibre optics, high-end solar and microchips**
- Globally, Ge does not form stand-alone deposits (rare **by-product only**) in some zinc or coal deposits
- **China produces 80%** of global supply (European Commission's Critical Materials Report 2020)
- **No trade agreements** between China and EU on germanium (European Commission, 2019)

KEY DEVELOPMENT – On July 3rd, 2023, China announced it will **curb the export of germanium** and gallium starting August 1st, 2023 (Reuters). It is the latest development in the global '**chip war**'. According to CNN, China's move comes just days after the Dutch government announced new restrictions on exports of some semiconductor equipment; Japan and US have recently also limited Chinese companies' access to chips. In June, Italy imposed several curbs on Pirelli's biggest shareholder, Sinochem, to block the Chinese government's access to sensitive chip tech (Bloomberg).

Ballywire – Significantly Higher Germanium (with new assay method)

Item	From (m)	To (m)	Int (m)	Zn+Pb (%)	Ag (g/t)	Cu (%)	Ge (New) (g/t)	Ge (Old) (g/t)	% Chg Ge (New vs. Old)
25-3552-31	296.95	344.07	47.12	4.50	21.6	0.01	10.1*	8.0*	26%
Incl.	309.07	334.96	25.89	7.37	35.4	0.02	18.1*	14.2*	28%
Incl.	310.00	322.88	12.88	10.95	57.4	0.03	29.2	22.0	32%
Incl.	315.49	319.20	3.71	20.37	151.1	0.07	**62.0**	45.8	35%
Incl.	316.41	317.32	0.91	27.83	394.0	0.20	**90.4**	64.4	40%
25-3552-35	202.15	241.82	39.67	9.45	131.1	0.27	11.7*	5.9*	101%
Incl.	202.99	208.34	5.35	8.14	25.4	0.03	21.3	11.4	87%
Incl.	202.99	204.77	1.78	12.13	32.6	0.03	29.1	18.4	58%
And	212.55	230.81	18.26	16.06	233.1	0.42	15.4	7.4	109%
Incl.	221.33	226.96	5.63	16.57	370.0	0.86	16.9	8.9	89%
Incl.	221.33	224.21	2.88	29.25	412.3	0.92	29.3	15.4	90%
Incl.	222.32	223.25	0.93	35.10	556.0	1.13	**42.4**	21.5	97%
25-3552-51	338.83	391.11	52.28	10.35	329.6	0.40	8.9*	4.0*	121%
Incl.	338.83	368.70	29.87	15.26	552.3	0.67	15.5*	7.0*	121%
Incl.	339.78	343.53	3.75	27.88	82.5	0.04	**30.1**	16.0	88%
And	350.96	357.52	6.56	17.82	144.8	0.12	12.4	4.6	172%
And	358.48	366.91	8.43	18.24	1775.6	2.21	25.0	8.9	180%
Incl.	363.13	365.35	2.22	29.88	3365.6	3.71	**39.7**	12.4	219%
Incl.	363.13	364.08	0.95	39.15	2170.0	2.54	**48.8**	14.1	246%
25-3552-53	321.66	378.98	57.32	6.22	35.2	0.02	10.0*	5.9*	69%
Incl.	337.46	357.22	19.76	13.74	50.9	0.03	26.5	13.8	92%
Incl.	345.90	357.22	11.32	17.61	59.9	0.03	27.5	13.8	99%
Incl.	345.90	350.60	4.70	27.60	91.7	0.05	**55.1**	23.8	132%
Incl.	346.86	348.71	1.85	41.27	128.1	0.07	**83.6**	29.0	188%
Incl.	347.74	348.71	0.97	46.95	171.0	0.10	**94.6**	21.8	334%
26-3552-57	329.20	391.71	62.51	5.56	24.8	0.02	6.6*	3.7*	80%
Incl.	344.12	391.71	47.59	7.15	31.7	0.02	8.7*	4.8*	80%
Incl.	352.52	359.01	6.49	9.41	36.1	0.02	23.4	10.7	118%
Incl.	355.30	359.01	3.71	12.64	43.3	0.02	**31.4**	13.8	127%
And	377.08	391.71	14.63	8.38	44.1	0.04	11.7	6.7	74%
Incl.	386.96	391.71	4.75	17.02	81.9	0.06	27.5	14.1	95%
Incl.	386.96	388.89	1.93	20.24	93.9	0.06	**41.3**	20.6	101%
Incl.	387.93	388.89	0.96	23.07	76.6	0.05	**48.2**	26.5	82%

‘New’ Assay Method Used

- Sodium Peroxide Fusion
  - Benefits:
    - Better digestion of sulphide rich samples
    - Much less loss of Ge to volatiles
  - First Results Announced 17-Sep-2026
    - Holes 25-3552-31, 35, 51, 53 and 26-3552-57 (see table to left)

‘Old’ Assay Method (Previously Used)

- Lithium Borate Fusion
  - Drawbacks:
    - Less digestion of sulphide rich samples
    - More loss of Ge to volatiles
  - Initial Results (published) being re-analysed using ‘new’ method (see plan map below)

Ballywire – Plan View Showing New Ge Results



Note: Yellow labels denote recent Ge results (using 'new' assay method; not previously published); black labels denote previously released Ge assays (top value from each hole) using 'old' assay method, currently being re-analysed with 'new' method; red question marks illustrate potential for a SW-trending parallel zone of mineralization

Ballywire Section – New Ge Results



* 4.5m of interval not analysed for Ge and assumed nil grade

Ballywire – Cross-Section Showing New Ge Results



25-3552-31
47.1m of 4.5%, 22 g/t, **10 g/t Ge^**, incl.
- 25.9m of 7.4%, 35 g/t, **18 g/t Ge°**, incl.
  - 12.9m of 11.0%, 57 g/t, **29 g/t Ge**, incl.
    - 3.7m of 20.4%, 151 g/t Ag, **62 g/t Ge**
      - 0.9m of 27.8%, 394 g/t, **90 g/t Ge**

70.5m of 3.4%, 41 g/t, 0.09% Cu, incl.
- 15.6m of 11.6%, 122 g/t, 0.19% Cu, incl.
  - 3.5m of 21.3%, 395 g/t, 0.73% Cu

25-3552-31
19.9m of 356 g/t and 1.46% Cu, incl.
- 12.0m of 560 g/t and 2.30% Cu, incl.
  - 6.4m of 838 g/t and 3.72% Cu

17.4m of 35 g/t, 0.31% Cu, incl.
- 5.1m of 91 g/t, 0.22% Cu, incl.
  - 0.4m of 917 g/t, 1.97% Cu, 0.17% Sb and
- 7.7m of 17 g/t, 0.55% Cu, incl.
  - 5.6m of 21 g/t, 0.71% Cu, 0.05% Sb incl.
    - 2.8m of 26 g/t, 1.03% Cu, 0.06% Sb incl.
      - 0.3m of 38 g/t, 5.51% Cu

20.3m of 2.6%, 6 g/t, incl.
- 7.3m of 5.2%, 10 g/t, incl.
  - 3.8m of 7.3%, 14 g/t, incl.
    - 1.0m of 11.8%, 19 g/t

11.3m of 8 g/t, 0.26% Cu, incl.
- 4.7m of 14 g/t, 0.46% Cu, incl.
  - 2.8m of 19 g/t, 0.67% Cu, incl.
    - 1.9m of 24 g/t, 0.83% Cu

17.9m of 10 g/t, 0.37% Cu, 0.05% Sb incl.
- 9.5m of 9 g/t, 0.49% Cu, 0.06% Sb, incl.
  - 4.7m of 13 g/t, 0.71% Cu, 0.09% Sb, incl.
    - 2.6m of 19 g/t, 1.07% Cu, 0.14% Sb, incl.
      - 0.2m (19cm) of 72 g/t, 4.36% Cu, 0.47% Sb and
- 2.5m of 24 g/t, 0.28% Cu and 0.04% Sb

LEGEND

Holes (Previous)	% Zn+Pb (or Cu, Sb if noted)
Hole (Released Today)	g/t Ag (Ge if noted)
Zn-Pb-Ag (m. sulphide)	WL Waulsortian Limestone
Zn-Pb-Ag (high-grade)	BLN Ballynash Limestone
Zn-Pb-Ag (lower grade)	ABL Argillaceous Bioclastic Lm.
Cu-Ag zone	LLS Lower Limestone Shale
Cu-Ag (Sb) zone	ORS Old Red Sandstone
	Interpreted Faults

^ 12.1m of interval not analysed for Ge and assumed nil grade; ° 0.9m of interval not analysed for Ge and assumed nil grade

Ballywire – Cross-Section Showing New Ge Results

25-3552-51
52.3m of 10.3%, 330 g/t, 0.40% Cu, **9 g/t Ge***, incl.
- 29.9m of 15.3%, 552 g/t, 0.67% Cu, **16 g/t Ge^** incl.
  - 8.4m of 18.2%, 1776 g/t, 2.21% Cu, **25 g/t Ge** incl.
    - 2.2m of 29.9%, 3366 g/t, 3.71% Cu, **40 g/t Ge** incl.
      - 1.0m of 39.2%, 2170 g/t, 2.54% Cu, **49 g/t Ge**

8.4m of 5.7%, 132 g/t, 0.52% Cu, incl.
- 3.7m of 2.7%, 225 g/t, 1.03% Cu, 0.07% Sb, incl.
  - 1.0m of 10.3%, 601 g/t, 3.19% Cu, 0.19% Sb and

9.3m of 17 g/t, 0.17% Cu incl.
- 2.7m of 35 g/t, 0.36% Cu

1.9m of 17 g/t, 0.28% Cu, and
1.8m of 59 g/t, 0.61% Cu, and
2.8m of 30 g/t, 0.72% Cu

11.1m of 12 g/t, 0.42% Cu, incl.
- 2.7m of 26 g/t, 1.10% Cu

0.9m of 3.1%, 99 g/t, 0.11% Cu and
2.4m of 60 g/t, 0.10% Cu, incl.
- 1.5m of 80 g/t, 0.13% Cu and

1.0m of 100 g/t, 0.67% Cu and
1.0m of 94 g/t, 0.29% Cu
12.1m of 17 g/t, 0.12% Cu, incl.
- 4.6m of 25 g/t, 0.18% Cu and

0.9m of 13 g/t, 0.90% Cu and
0.9m of 47 g/t, 0.60% Cu, 0.14% Sb and
0.9m of 28 g/t, 0.58% Cu



7.5m of 22 g/t, 0.79% Cu, incl.
- 3.5m of 35 g/t, 1.28% Cu, incl.
  - 1.9m of 50 g/t, 1.76% Cu

25-3552-53
57.3m of 6.2%, 35 g/t, **10 g/t Ge****, incl.
- 19.8m of 13.7%, 51 g/t, **27 g/t Ge**, incl.
  - 11.3m of 17.6%, 60 g/t, **28 g/t Ge**, incl.
    - 4.7m of 27.6%, 92 g/t, **55 g/t Ge** and
      - 1.9m of 41.3%, 128 g/t, **84 g/t Ge**
        - 1.0m of 47.0%, 171 g/t, **95 g/t Ge**

LEGEND
- Drill Holes (Published Today)
- Drilling Planned
- Massive Sulphide (Zn-Pb-Ag) Zone
- Other High-Grade Zone
- Cu-Ag-(Sb) Mineralization
- % Zn+Pb (Cu or Sb if noted)
- g/t Ag (Ge if noted)
- SWL Supra (above) Waulsortian
- WL Waulsortian Limestone
- BLN Ballynash Limestone
- ABL Argillaceous Bioclastic Lm.
- LLS Lower Limestone Shales
- ORS Old Red Sandstone
- Stratigraphic Contact
- Fault

0 100 200 300
metres

* Includes 23.3m not assayed for Ge and assumed nil grade; ^ Includes 1.0m not assayed for Ge and assumed nil grade;
** Includes 20.5m not assayed for Ge and assumed nil grade;

Ballywire – Cross-Section Showing New Ge Results

GROUP ELEVEN RESOURCES CORP.



* Includes 17.7m not assayed for Ge and assumed nil grade

^ Includes 2.7m not assayed for Ge and assumed nil grade

Ballywire – Cross-Section

THANK YOU!

Upcoming Catalysts

2026 – Key Value Drivers

- Funded Drill Metres – Approx. 67,000 (up to 75,000m*)
  - PG West – Focus on Ballywire Discovery
    - Busy Drill Program (>51,500m) from Apr 2026 to Mid-2028
  - Stonepark
    - Funded Drill Metres >15,500m, including
    - 2,700m Drill Program During Mid-2026

* Subject to detailed planning

GROUP ELEVEN
RESOURCES CORP.

Legal: Cassels
Suite 3100, 666 Burrard Street
Vancouver, B.C., V6C 2X8
Canada

Bart Jaworski, CEO
E: b.jaworski@groupelevenresources.com
T: +353 85 833 2463

Jasmine Lau, CFO
E: j.lau@groupelevenresources.com
T: +1 604 781 4915